


Drains for Fundo floor elements

Fundo vertical drain | DN 50



Description

Fundo vertical drain, DN 50

Packing unit

1 unit

Order no.


07-37-89/000

- !** • Absorption capacity: 1.00 Litre/Second
- Minimum installation depth: 40 mm
- As an alternative to the drain covers supplied, you will find other design options from page 44.

- i** • The Fundo vertical drain is an authorised floor drain with a general building authority-approved test certificate.
- This drain matches the following Fundo floor elements:
 - Fundo Primo
 - Fundo Trollo
 - Fundo Borgo
 - Fundo Nautilo

- 📦** • 1 drain cover, vertical, DN 50
- 1 shower insert
- 1 siphon
- 1 extension collar
- 1 main sealing collar
- 1 shower tray screw-type valve
- 1 cap tool
- 1 plastic frame, 120 x 120 mm
- 1 drain cover stainless steel grate, 115 x 115 mm
- 1 O-ring

Technical drawings



Fundo vertical drain | DN 50, round



Description

Fundo vertical drain, DN 50, round

Packing unit

1 unit

Order no.


07-37-72/000

- !** • Absorption capacity: 1.00 Litre/Second
- Minimum installation depth: 40 mm
- The extension collar simultaneously serves as a grate support. A special plastic frame is not required.
- As an alternative to the drain covers supplied, you will find other design options on page 45.

- i** • The Fundo vertical drain is an authorised floor drain with a general building authority-approved test certificate.
- This drain matches the following Fundo floor elements:
 - Fundo Primo
 - Fundo Trollo
 - Fundo Borgo
 - Fundo Nautilo

- 📦** • 1 drain cover, vertical, DN 50
- 1 extension collar
- 1 cap tool
- 1 shower insert
- 1 shower tray screw-type valve
- 1 drain cover stainless steel grate, Ø 115 mm, round
- 1 siphon
- 1 main sealing collar
- 1 O-ring

Technical drawings



Fundo vertical drain | DN 50 with fire protection collar



Description

Fundo vertical drain, DN 50,
with fire protection collar

Packing unit


Order no.

1 unit

07-37-49/001

- !** • Absorption capacity: 1.00 Litre/Second
- Minimum installation depth: 40 mm
- As an alternative to the drain covers supplied, you will find other design options from page 44.
- i** • The Fundo vertical drain is an authorised floor drain with a general building authority-approved test certificate.
- This drain matches the following Fundo floor elements:
 - Fundo Primo
 - Fundo Trollo
 - Fundo Borgo
 - Fundo Nautilo
- 🔧** • 1 drain cover, vertical, DN 50
- 1 fire-proofing
- 1 fire-proofing-cap tool
- 1 cap tool
- 1 shower tray screw-type valve
- 1 main sealing collar
- 1 siphon
- 1 shower insert
- 1 extension collar
- 1 plastic frame, 120 x 120 mm
- 1 drain cover stainless steel grate, 115 x 115 mm
- 1 O-ring

Technical drawings



Fundo vertical drain | DN 70



Description

Fundo vertical drain, DN 70

Packing unit


Order no.

1 unit

07-37-89/070

- !** • Absorption capacity: 0.88 Litre/Second
- Minimum installation depth: 40 mm
- As an alternative to the drain cover supplied, you will find other design options from page 44.
- i** • The Fundo vertical drain is an authorised floor drain with a general building authority-approved test certificate.
- This drain matches the following Fundo floor elements:
 - Fundo Primo
 - Fundo Trollo
 - Fundo Borgo
 - Fundo Nautilo
- 🔧** • 1 drain cover, vertical, DN 70
- 1 extension collar
- 1 cap tool
- 1 shower insert
- 1 shower tray screw-type valve
- 1 plastic frame, 120 x 120 mm
- 1 siphon
- 1 main sealing collar
- 1 drain cover stainless steel grate, 115 x 115 mm
- 1 O-ring

Technical drawings



Drains for Fundo floor elements

Fundo horizontal drain | DN 50



Description

Fundo horizontal drain, DN 50

Packing unit

1 unit

Order no.


07-37-90/000

- !** • Absorption capacity: 0.80 Litre/Second
- Minimum installation depth: 130 mm
- As an alternative to the drain covers supplied, you will find other design options from page 44.

- i** • The Fundo horizontal drain is an authorised floor drain with a general building authority-approved test certificate.
- This drain matches the following Fundo floor elements:
 - Fundo Primo
 - Fundo Trollo
 - Fundo Borgo
 - Fundo Nautilo

- 📦** • 1 drain cover, horizontal, DN 50
- 1 extension collar
- 1 main sealing collar
- 1 shower insert
- 1 cap tool
- 1 shower tray screw-type valve
- 1 siphon
- 1 plastic frame, 120 x 120 mm
- 1 drain cover stainless steel grate, 115 x 115 mm
- 1 O-ring

Technical drawings



Fundo horizontal drain | DN 50, round



Description

Fundo horizontal drain, DN 50, round

Packing unit

1 unit

Order no.


07-37-73/000

- !** • Absorption capacity: 0.80 Litre/Second
- Minimum installation depth: 130 mm
- The extension collar simultaneously serves as a grate support. A special plastic frame is not required.
- As an alternative to the drain covers supplied, you will find other design options on page 45.

- i** • The Fundo horizontal drain is an authorised floor drain with a general building authority-approved test certificate.
- This drain matches the following Fundo floor elements:
 - Fundo Primo
 - Fundo Trollo
 - Fundo Borgo
 - Fundo Nautilo

- 📦** • 1 horizontal drain cover, DN 50
- 1 shower insert
- 1 siphon
- 1 cap tool
- 1 shower tray screw-type valve
- 1 extension collar
- 1 main sealing collar
- 1 drain cover, stainless steel grate, Ø 115 mm, round
- 1 O-ring

Technical drawings




Fundo drain *Mini Max* | DN 40, extra flat



Description	Packing unit	Order no.
Fundo Mini Max drain, DN 40, extra flat	1 unit	07-37-90/001

- !** • Absorption capacity: 0.54 Litre/Second
- Minimum installation depth: 97 mm
- As an alternative to the drain covers supplied, you will find other design options from page 44.
- Cannot be combined with Fundo Primo Easy Sets!
- i** • The Fundo Mini Max drain is an authorised floor drain with a general building authority-approved test certificate.
- This drain is suitable for the following Fundo floor elements:
 - Fundo Primo
 - Fundo Trollo
 - Fundo Borgo
 - Fundo Nautilo
- 🔧** • 1 drain cover, extra flat, DN 40
- 1 siphon
- 1 shower tray
- 1 main sealing collar
- 1 shower tray screw-type valve
- 1 extension collar
- 1 cap tool
- 1 drain cover stainless steel grate, 115 x 115 mm
- 1 plastic frame, 120 x 120 mm
- 1 O-ring

Technical drawings



Drains for Fundo Riolito/Riofino floor elements

Fundo drain *Riolito/Riofino* | vertical, DN 50



Description	Packing unit	Order no.
Fundo drain Riolito/Riofino, vertical, DN 50	1 unit	07-37-89/010

- !** • Absorption capacity: 1.12 Litre/Second
- Minimum installation depth: 50 mm
- This drain is only suitable for the Fundo Riolito and Riofino floor elements.
- You will find suitable drain covers from page 47.
- Cannot be combined with Fundo Primo Easy Sets!
- 🔧** • 1 drain cover, vertical, DN 50
- 1 main sealing collar
- 1 siphon
- 4 fixing screws
- 1 cap tool
- 1 shower tray
- 2 tile stop guides

Technical drawings

